



gummi-plast

Schild GmbH & Co.KG

Gernsheim



**Profiles of rubber, sponge rubber,
silicone, foam silicone**

D-64579 Gernsheim - Germany

Otto-Hahn-Straße 12

Telefon +49 (0) 62 58 / 932250

Telefax +49 (0) 62 58 / 4997

e-mail: schild@gummi-plast.de

internet: <http://www.gummi-plast.de>

**solid rubber
-round-section cords
and -tubes**

list no. 568

**GIR / SIR
GISC / SISC**

Solid rubber round-section cords

s = black **t** = translucent **rb** = red-brown **g** = grey **w** = white

	EPDM (EP) 65 ± 5 Sh		Perbunan (NBR) 65 ± 5 Sh		Silicone (SI) 60 ± 5 Sh		VITON® (FPM) 70/75 ± 5 Sh	
Ø mm	Colour	Article-No.	Colour	Article-No.	Colour	Article-No.	Colour	Article-No.
1,00					t	5327		
1,50					t	5494	s	1727
1,55					t	5802	s	5792
1,60					t	5803	s	5793
1,78					t	5804	s	5794
2,00	s	3484	s	2700	t	2690	s	1544
2,40					t	5805		
2,50	s	5236	s	3544	t	2075	s	1545
2,62					t	5806	s	5795
3,00	s	3485	s	2800	t	0697	s	3883
3,20					t	5807	s	5796
3,50	s	5495	s	3545	t	5946	s	5448
4,00	s	3352	s	2801	t	0698	s	3653
4,50	s	3995	s	5497	t	5498	s	5435
5,00	s	3486	s	2687	t	0699	s	3753
5,33					t	5810	s	5797
5,50	s	5499	s	5500	t	1456	s	0945
5,70					t	5811	s	5798
6,00	s	3487	s	2024	t	0700	s	3833
6,35					t	5812		
6,50	s	5501	s	5502	t	5503	s	3264
7,00	s	2026	s	2802	t	0701	s	3176
7,50					t	5813	s	3177
8,00	s	3488	s	2803	t	0702	s	3178
8,50					t	5814	s	3179
9,00	s	4553	s	2804	t	5504	s	4577
10,00	s	1349	s	2805	t	0703	s	4102

Solid rubber round-section cords

s = black **t** = translucent **rb** = red-brown **g** = grey **w** = white

	EPDM (EP) 65 ± 5 Sh		Perbunan (NBR) 65 ± 5 Sh		Silicone (SI) 60 ± 5 Sh		VITON® (FPM) 70/75 ± 5 Sh	
Ø mm	Colour	Article-No.	Colour	Article-No.	Colour	Article-No.	Colour	Article-No.
12,00	s	1350	s	2025	t	0704	s	4645
13,00			s	2807	t	2941		
14,00							s	4077
15,00	s	1351	s	2809	t	0705	s	3903
16,00	s	4510	s	2810	t	0706	s	4650
17,00					t	0707		
18,00	s	1447	s	2812	t	0708	s	4661
20,00	s	1409	s	2814	t	0709	s	3991
22,00	s	3137	s	2815	t	0710	s	5799
25,00	s	1352	s	2816	t	0711	s	4644
27,50							s	5800
30,00	s	3489	s	2675	t	4435	s	4651
33,00	s	5506	s	3441				
35,00	s	5507	s	3424	t	3112		
37,00			s	3442				
40,00	s	2859	s	3532				
45,00	s	3786						
50,00	s	3723						

Solid rubber tubes

s = black **t** = translucent **w** = white

Ø mm	Silicone (SI) 60 ± 5 Sh		VITON® (FPM) 70/75 ± 5 Sh	
inside/outside	Colour	Article-No.	Colour	Article-No.
1 / 3	t	0928		
2 / 4	t	0929		
2 / 5			s	5184
3 / 4	t	1408		
3 / 5	t	0930	s	3801
3 / 6			s	4047
3 / 8	t	1176		
3 / 9	w	1877		
4 / 6	t	0931	s	2006
4 / 7	t	5226	s	5185
4 / 8	t	5739		
5 / 7			s	5841
5 / 8	t	0932	s	5186
6 / 9	t	0933	s	4048
6 / 10	t	5775	s	4555
6 / 12	t	3855	s	6121
7 / 8	t	4473		
7 / 10	t	0934		
7 / 25			s	3979
8 / 10	t	0935		
8 / 11			w	6069
8 / 12	t	0936	s	3823
8 / 14	t	5875		
9 / 13	t	5341		
10 / 12	t	5244		
10 / 14	t	0937		
10 / 15	t	5923		
10 / 19	t	4035		

Solid rubber tubes

s = black **t** = translucent **w** = white

Ø mm	Silicone (SI) 60 ± 5 Sh		VITON® (FPM) 70/75 ± 5 Sh	
inside/outside	Colour	Article-No.	Colour	Article-No.
10 / 22	t	3787		
12 / 15			s	3954
12 / 16	t	0938		
12 / 17			s	1061
12 / 20	t	2072		
13 / 17	t	5212		
13 / 18	w	6095		
13 / 19	t	5235		
14 / 18	t	0939		
14 / 22	t	1457		
14 / 44	t	3467		
15 / 19	t	0940		
16 / 22	t	0941		
17 / 20	t	1561		
18 / 22	t	4598		
22 / 27			s	4243
22 / 28	t	0942		
24 / 28	t	3181		
25 / 31	t	0943		
25 / 52	t	5642		
26 / 30	t	5677		
30 / 44	t	2540		
40 / 43	t	3153		
40 / 46	t	5360		
40 / 50	t	4573		
44 / 54	t	3212		
50 / 56	t	5260		
55 / 60	t	3278		
80 / 84	t	5396		